



HunterDouglas Elements Fabric Collection

Product Information

Colour Range 20 colours

Blockout 2.8m width
Roller Blind, Panel Glide and Roman Shade Fabric



ELEMENTS



Elements	Blockout Fabric
Composition	100% Polyester
Fabric Thickness	0.52mm ± 0.10mm
Colourfastness	6-7 Blue Scale ³
Opacity	Blockout
Privacy Factor	High
Cutting Technique	Ultrasonic, Knife Cut, Aeronaut
Weight	420 gsm ± 30 gsm

* We recommend conducting independent manufacturing trials, as equipment may vary between manufacturers.
³ Meets Australian Standard AS 2001.4.21

Product range

Item	Range	Width	Roll Length
82.336.XXX	HFRF20 Elements Fabric	2.8m	20 metres

Product features and benefits

Features	Benefits
Blockout	All colours in the range are 100% blockout.
20 Colours	Modern colour range designed to suit Australian Interiors.
UV Resistant	All colours meet Australian Standards for colour fastness to resist fading.
Excellent Solar Optical Properties	The solar optical properties include heat protection, insulation, shade factor, glare reduction and UV protection.
Fire Retardant Properties	Complies with the General Requirements of the Building Code of Australia for Fire Hazard Properties of materials in buildings. Not suitable for use in fire isolated exits of buildings.
	Many of our fabrics are treated with SANITIZED® Antimicrobial Protection which effectively reduces the development of bacteria, odour and mildew.
	DURAGUARD® Fabric Protector effectively repels most stain causing agents with its proven, water based, preventative formula. This fabric protection is totally invisible and has high levels of stain repellence. It makes maintaining the fabric much easier.
MultiVision® Concept	In line with the MULTIVISION® Concept, Elements Fabric can be coordinated with numerous fabric ranges with different opacities.
AUSTRALIAN MADE	Proudly made in Australia to support the local Textiles Industry.

Care and cleaning

General Care: Elements Fabric has an easy clean soft foam backing, dusting with a feather duster is all that is required to keep your fabric looking good.


Stains: For the removal of dirt and grime, simply wipe fabric skins with a sponge soaked in lukewarm water. If marks are still visible, add a little detergent. Then dry gently with a clean cloth.

Solar Optical Properties

Colour	T _s	R _s	A _s	T _L	R _L	A _L	T _{uv}	Sc
Midnight	0	67	33	0	53	47	0	0.28
Midnight Storm	0	64	36	0	63	37	0	0.31
Pebble	0	64	36	0	52	48	0	0.31
Weathered Stone	0	64	36	0	52	48	0	0.31
White	0	76	24	0	50	50	0	0

Solar Optical Properties Guide

T_s - Heat Transmittance (%) R_s - Heat Reflectance (%) A_s - Heat Absorbance (%) T_L - Light Transmittance (%)
 R_L - Light Reflectance (%) A_L - Light Absorbance (%) SC - Shading Coefficient T_{uv} - Ultraviolet Transmittance



Fire Retardant

Complies with the General Requirements of the Building Code of Australia for Fire Hazard Properties of materials in buildings. Not suitable for use in fire isolated exits of buildings.

Ignitability Index [Range 0-20]	0	Heat Evolved Index [Range 0-10]	0
Spread of Flame Index [Range 0-10]	0	Smoke Developed Index [Range 0-10]	5

Availability

Available now from Hunter Douglas Limited. Please contact your Hunter Douglas Limited Area Manager for more information.



AUSTRALIAN MADE

MultiVision® Concept

Contact Details: